

Food & Water Testing

PRELIMINARY REPORT

REPORT CODE

PR-25-NC-000065-01

REPORT DATE

09/04/2025

Attention Crux

Phone

Email

Contact for your orders:

Contract: Water
Submission Reference: Samples

Order code:

EUNZCH-00213582

SAMPLE CODE 817-2025-00035960

Sample Reference

UV Building

Reception Date & Time: 07/04/2025 10:23

Reception temperature: 16.2 °C

Analysis Started on: 07/04/2025

Analysis Ending Date: 09/04/2025

Product Type Surface water, raw water

Sampler(s) Peter Newport

Sampled Date & Time 07/04/2025 08:30

RESULTS

LOQ

①NCOAK Ammoniacal Nitrogen by Discrete Analyser

Ammonia nitrogen 5.33 mg/l 0.01

*ZMJU7 Enumeration of Escherichia coli by Membrane Filtration

Escherichia coli 10 cfu/100 ml 1

*NCOAE Total Suspended Solids in Water by Gravimetry

Suspended Solids 28.2 mg/l 2.5

SAMPLE CODE 817-2025-00035961

Sample Reference

Mid Channel

Reception Date & Time: 07/04/2025 10:23

Reception temperature: 16.2 °C

Analysis Started on: 07/04/2025

Analysis Ending Date: 09/04/2025

Product Type Surface water, raw water

Sampler(s) Peter Newport

Sampled Date & Time 07/04/2025 08:58

RESULTS

LOQ

①NCOAK Ammoniacal Nitrogen by Discrete Analyser

Ammonia nitrogen 6.08 mg/l 0.01

*ZMJU7 Enumeration of Escherichia coli by Membrane Filtration

Escherichia coli 54 cfu/100 ml 1

*NCOAE Total Suspended Solids in Water by Gravimetry

Suspended Solids 67.0 mg/l 2.5

SAMPLE CODE 817-2025-00035962

Sample Reference

Shotover Discharge

Reception Date & Time: 07/04/2025 10:23

Reception temperature: 16.2 °C

Analysis Started on: 07/04/2025

Analysis Ending Date: 09/04/2025

Product Type Surface water, raw water

Sampler(s) Peter Newport

Sampled Date & Time 07/04/2025 08:45

RESULTS

LOQ



Food & Water Testing

	RESULTS	LOQ
*NCOAK Ammoniacal Nitrogen by Discrete Analyser		
Ammonia nitrogen	6.94	mg/l
		0.01
*ZMJU7 Enumeration of Escherichia coli by Membrane Filtration		
Escherichia coli	2	cfu/100 ml
		1
*NCOAE Total Suspended Solids in Water by Gravimetry		
Suspended Solids	22.6	mg/l
		2.5

LIST OF METHODS

NCOAE **Total Suspended Solids in Water by Gravimetry:** APHA Online Edition 2540 D

NCOAK **Ammoniacal Nitrogen by Discrete Analyser:** ISBN 0117516139 mod.

ZMJU7 **Escherichia coli E (Water) [NZ Water] <1 >8 000 /100 ml (0) mTEC Agar-F:** US-EPA 1603:2014

Signature



EXPLANATORY NOTE

- ① Test is not accredited
 - ② Test is subcontracted within Eurofins group and is accredited
 - ③ Test is subcontracted within Eurofins group and is not accredited
 - ④ Test is subcontracted outside Eurofins group and is accredited
 - ⑤ Test is subcontracted outside Eurofins group and is not accredited
 - ⑥ Test result is provided by the customer and is not accredited
 - ⑦ Tested at the sampling point by Eurofins and is not accredited
 - ⑧ Tested at the sampling point by Eurofins and is accredited
 - ⑨ Test is RLP accredited
 - ⑩ Test is subcontracted within Eurofins group and is RLP accredited
- *Test was performed at Eurofins ELS Limited, 142 Esk Street, Invercargill

N/A means Not Applicable

Not Detected means not detected at or above the Limit of Quantification (LOQ)

LOQ means Limit of Quantification and the unit of LOQ is the same as the result unit

✘ (Unsatisfactory) means does not meet the specification

✓ (Satisfactory) means meets the specification

MAV means Maximum Allowable Value

Food & Water Testing

The Customer acknowledges and accepts that: (a) where Eurofins is not responsible for sampling, the test result(s) in this report apply only to the sample as received. Customer is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the product. The tests are identified by a five-digit code, their description is available on request. Accreditation does not apply to comments or graphical representations. Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 43 Detroit Drive, Rolleston, Christchurch, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc. Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services. All samples become the property of Eurofins to the extent necessary for the performance of the Services. Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples. If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice. The Eurofins water sampling service follows methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples. The Customer acknowledges that the Services are provided using the current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services. This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins. The Customer shall not alter any report or other Output provided to the Customer by Eurofins or misrepresent the contents of such Outputs in any way. The Customer shall be entitled to make copies for its internal purposes only. The Customer may only reproduce or publish any report or document provided to the Customer by Eurofins in full without alteration. Eurofins' name, logo or service marks, or any other means of identification cannot be used in any publication by the Customer, unless the Customer has obtained the prior written consent of Eurofins. Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer. Eurofins General Terms and Conditions apply.

END OF REPORT

**EUROFINS ELS LIMITED IS A MINISTRY FOR PRIMARY INDUSTRIES
RECOGNISED LABORATORY UNDER SECTION 101 OF THE ANIMAL PRODUCTS ACT:1999.**